



A single dose whole virus vaccine that stimulates effective immunity against PCV.



- A unique combination of whole virus antigen with innovative adjuvant system
- Stimulates both humoral and cellular responses – two key components of effective protection against PCV
- Reduces PCV2 viraemia for reduced signs and consequences of PCV infection
- Reduces the lost DLWG and mortality associated with PMWS



Dosage

- One dose of 2 ml per animal
- Intramuscularly behind the ear



Use from 21 days of age



Onset of Immunity

- 3 weeks post vaccination



Duration of Immunity

- 19 weeks post vaccination



Withdrawal Period

- Zero days



Pack Sizes Available

- 100 ml - 50 doses



Accessories

- Zoetis 2 ml Pig Injector

Suvaxyn® PCV Suspension for Injection for Pigs

Contains inactivated recombinant Porcine Circovirus type 1 expressing the Porcine Circovirus type 2 ORF2 protein. For the active immunisation of pigs over the age of 3 weeks against Porcine Circovirus type 2 (PCV2) to reduce viral load in blood and lymphoid tissues, and the lesions in lymphoid tissues associated with PCV2 infection, as well as to reduce clinical signs – including loss of daily weight gain, and mortality associated with Post-Weaning Multisystemic Wasting Syndrome (PMWS). POM-V

For information about side effects, precautions, warnings and contra-indications, please refer to the product packaging and package leaflet.

For further information please see the product's SPC or contact Zoetis UK Limited, Walton Oaks, Dorking Road, Tadworth, Surrey KT20 7NS. www.zoetis.co.uk Customer Support: 0845 300 8034

Use medicines responsibly (www.noah.co.uk/responsible).

Date of preparation: January 2017

AH008/17